| | Application No. | Applicant(s) |
|--|---|-----------------------------|
| | 09/942,112 | MARSHALL ET AL. |
| Notice of Allowability | Examiner | Art Unit |
| | Michael P. Ferguson | 3679 |
| | | |
| The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. | | |
| This communication is responsive to <u>02 August 2006 interview, 21 July 2006 amendment</u> . | | |
| Z. ☑ The allowed claim(s) is/are 4-6,14 and 15. | | |
| 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). | | |
| a) All b) Some* c) None of the: | | |
| 1. Certified copies of the priority documents have been received. | | |
| 2. Certified copies of the priority documents have been received in Application No | | |
| 3. Copies of the certified copies of the priority documents have been received in this national stage application from the | | |
| International Bureau (PCT Rule 17.2(a)). | | |
| * Certified copies not received: | | |
| Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. | | |
| 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. | | |
| 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. | | |
| (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached | | |
| 1) hereto or 2) to Paper No./Mail Date | | |
| (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date <u>08/02/06</u> . | | |
| Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). | | |
| 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. | | |
| | | |
| Attachment(s) | | |
| 1. Notice of References Cited (PTO-892) | 5. Notice of Informal Pa | atent Application (PTO-152) |
| 2. Notice of Draftperson's Patent Drawing Review (PTO-948) | 6. ⊠ Interview Summary (Paper No./Mail Date | |
| 3. Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date | | |
| Examiner's Comment Regarding Requirement for Deposit of Biological Material | 8. Examiner's Statemen | nt of Reasons for Allowance |
| of Biological Material | 9. Other | |
| | | |
| | | |
| | | |

Page 2

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Randall B. Bateman on August 2, 2006.

The application has been amended as follows:

In claim 1, in line 10 after "comprising a slot" deleted "extending inwardly from an edge of the at least one bracket" and replaced with --at an edge of the at least one bracket and extending inwardly therefrom--.

In claim 7, in line 12 after "slot" deleted "extending inwardly from an edge thereof" and replaced with --at an edge thereof and extending inwardly therefrom--.

2. The following changes to the drawings have been approved by the examiner and agreed upon by applicant:

In Figure 2, the leadline attached to element **10**, as labeled in Figure 1, does not have a reference numeral attached. The leadline should be labeled with the reference numeral **10**.

In Figure 3, the phrase "Edge View" should be deleted.

In the cross-section view of Figure 3, elements **34,38** should be cross-hatched based on material of such elements.

Art Unit: 3679

In Figure 5, the phrase "Bolt holders rotated 180^o from each other" and the corresponding leadlines should be deleted.

In Figure 7, the phrase "LEFT (#6012)" should be deleted.

In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael P. Ferguson whose telephone number is (571)272-7081. The examiner can normally be reached on M-F (8:00-5:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Daniel P. Stodola can be reached on (571)272-7087. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 09/942,112

Art Unit: 3679

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

08/02/06

DANIEL P. STODOLA SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 3600

Samuel P Stodola

Page 4